



# PT-E300VP Industrial Labeller

LABELS THAT STICK.

*P-touch*

[brother.com.au](http://brother.com.au)

# PT-E300VP

The PT-E300VP is an indispensable tool for all electricians and datacom installers. It comes complete with a lithium-ion rechargeable battery and AC adapter, all housed in a durable carry case. The large backlit graphic LCD, standard Qwerty style keyboard and specialised functions have been developed to make common industrial labelling tasks quick and easy. Leave a professional impression by creating high quality labels for your installations.



**With dedicated functions for engineering label applications, easily create durable labels for faceplates, cables, consumer units and other electrical and datacom installations.**

## Key Features:



Industry standard barcode compatible



Large backlit graphic display



Dedicated function keys to easily create labels



Includes tape cassette, Li-ion battery, AC adapter and tough carry case



Prints 3.5, 6, 9, 12 and 18mm labels



Prints on new heat shrink tube cartridges



Over 300 electrical datacom symbols

# Packed with features



Prints labels 3.5 to 18mm in width



Large backlit graphic LCD display



Label socket outlets, network points and faceplates



Patch panel



Cable wrap/Cable flag



Sequential numbering



9 barcode protocols



384 built-in symbols



## Brother TZe laminated labels - designed to last

Brother P-touch laminated TZe tapes consist of seven layers of materials, resulting in a thin, extremely strong label. Characters are formed with a thermal transfer ink and sandwiched between two protective layers of PET (polyester film). The result is a virtually indestructible label that can withstand even the harshest conditions.



Laminated



Temperature Resistant



Water Resistant



Fade Resistant



Abrasion Resistant



Chemical Resistant



Easy Peel



Strong Adhesion

## Technical Specifications for the PT-E300VP

### Hardware

|                         |   |
|-------------------------|---|
| Housing Dimensions (mm) | 133mm (W) x 220mm (H) x 69mm (D)  |
| Housing Weight          | 740g  |
| Print Resolution        | 180 dpi   |
| Max. Print Height       | 15.8mm  |
| Max. Print Speed        | 20mm / sec  |
| Cutter Type             | Manual cutter blade   |
| Keyboard Type           | Qwerty with numeric keypad  |
| Number of Keys          | 64  |
| LCD Display             | 15 characters x 3 line graphic  |
| LCD Backlight           | Yes   |
| LCD Size                | 67mm x 40mm   |
| Print Preview           | Yes   |
| Text Buffer             | Max. 200 chrs   |
| Label Memory            | 50 memory locations with up to 2,400 characters total   |
| Power                   | Lithium-ion battery (supplied), AC adapter (supplied), 6 x AA (LR6/HR6) alkaline batteries (not supplied) |

### Carton Contents

|          |  |
|----------|--|
| Includes | PT-E300, Lithium-ion battery, AC adapter, 9mm black on white strong adhesive, Label cassette (8m), User guide, Wrist strap, Carry case |
|----------|--|

### Supplies

|             |  |
|-------------|--|
| Tape Type   | <b>TZe Tapes:</b> 3.5mm, 6mm, 9mm, 12mm, and 18mm  |
| Tape Widths | <b>HSe Tubes:</b> 5.8mm, 8.8mm, 11.7mm, and 17.7mm |


### Built-in Software

|                                |   |
|--------------------------------|---|
| Built-in Fonts                 | 7   |
| Built-in Symbols               | 384   |
| Character Sizes                | <b>7 sizes:</b> 6, 9, 12, 18, 24, 36, 42 pt   |
| Character Widths               | <b>4 widths:</b> extended, medium, condensed  |
| Font Styles                    | 9   |
| Frames                         | 7   |
| Underline                      | Yes   |
| Max. Number of Lines           | 5   |
| Horizontal Alignment           | <b>Automatic length labels:</b> left aligned / <b>Pre-set label length:</b> centre aligned  |
| Tape Length Setting            | Yes (25-300mm)  |
| Tape Margin Settings           | Narrow, half, full, chain print   |
| Tab Function                   | Yes   |
| Specialist Labelling Functions | Cable wrap, cable flag, faceplate, sequential numbering, patch panel, punch block   |
| Automatic Numbering            | Yes   |
| Mirror Printing                | No  |
| Vertical Printing              | Yes   |
| Barcode Creation               | <b>9 kinds:</b> CODE39, CODE 128, EAN13, EAN8, ITF 2/5, UPC-A, UPC-E, CODABAR, GS1-128/UCC/EAN128   |
| Copy (Repeat) Printing         | Yes (1-9)   |
| Print Preview                  | Yes (graphic preview)   |
| Auto Power Off                 | Yes   |
| Unit Change                    | Yes (inch/mm)   |
| Language Change                | <b>20 languages:</b> English, German, French, Spanish, Portuguese, Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish, Brazilian (Portuguese) |



### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



Brother Earth

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



brotheraustralia



Brother International Australia



BrotherAU

**brother**  
at your side